





Maintenance-Free Chaincase

The rugged Bobcat® chaincase is the only maintenance-free chaincase in the industry with exclusive fixed-axle tubes, stronger axles and fully sealed bearings.

No Adjustments

The Bobcat chaincase requires no adjustments – ever. Strong chains. Tight manufacturing tolerances. Endless roller, high-strength oval chains (HSOC). Thick side-link plates and hardened pins. The chains are 38% stronger than the competition.



Tire Options

Bobcat has an extensive offering of pneumatic and solid loader tires. Choosing the best tire is important for machine traction, flotation, wear and overall performance.





Heavy-duty construction, component protection and superior design with minimal moving parts increase the service life of your track loader – no matter which undercarriage you choose.

By design, compact track loaders weigh more than skid-steer loaders of the same size. Thanks to tracks, that weight is spread out over a wider area for increased flotation, minimal ground disturbance, higher pushing force and better lifting of larger loads.

Feel more control in your hands.

With Bobcat compact track loaders, you can feel and control the loader's drive, engine torque and tractive

effort – so you can push your machine to the limit without an engine anti-stall system robbing you of power when you need it the most.

Protected Hoses

Hydraulic hoses within the compact track loader's undercarriage are carefully routed and protected to reduce snags and impacts that cause downtime.

Heat-Treated Inner Bars

The self-contained axle system contains an inner bar surrounded by four rubber cords. The inner bar is heat-treated for maximum strength. increased longevity and more uptime.

Hydraulic Track Tensioning

The hydraulic track tensioning system minimizes the chance of loosening and detracking in tough working conditions. Available on the T870.

Exclusive Bobcat Tracks

Bobcat offers seven different tread patterns to accommodate various applications and optimize your compact track loader's performance for the jobs you do.


Superior Pushing Force

With more surface area in contact with the ground, direct-drive motors, and a perfect balance between machine weight and horsepower. the pushing force of Bobcat compact track loaders is second to none.

Low Impact

High-flotation Bobcat compact track loaders minimize damage to lawns, natural terrain and other established surfaces for fewer profit-eating surface repairs.

UNDERCARRIAGE





Solid-Mounted Strength

Our solid-mounted track options feature a fully enclosed design that protects components such as hoses and drive motors. Solid-mounted undercarriages have fewer moving parts, which reduces maintenance in addition to stabilizing the loader and work group.

5-Link Torsion Suspension Undercarriage

Included as a standard feature on the T870, the 5-Link torsion suspension system dampens vibration to provide a smoother ride that you can feel throughout the cab. It also absorbs stress and vibrations to improve the life of machine components. An extra link on the rear axle provides additional stability when lifting a load high or when performing grading tasks, providing the ultimate combination of operator comfort and work performance.

Elevated Sprocket Design

Elevated sprockets shed mud and debris as you work, reducing wear.

Standard Track Undercarriage

This simple, strong undercarriage design offers consistent grading performance and lasts longer than other track systems.

Better Ride Quality

A dual-flange front idler rides on rubber to dampen vibration from the ground. Wider rollers further reduce vibration and cause less wear on the track.

Embedded Steel

Tough steel braces support and guide the track. Steel reinforcements inside the track provide additional strength.

Forged-Steel Rollers and Idlers

Idlers and rollers are steel, not rubber. Dual-flange front idlers are wider, providing more contact with the tracks and improving ride quality.

Simple Maintenance

When it's time to adjust track tension, all it takes is a common grease gun. Idlers and rollers are permanently sealed and lubricated.

Ground Clearance

Ground clearance is as high as 9.4 inches. Curb clearance is as high as 10.8 inches on select models.

Improved Track Carriage Cleanout

The track tensioning system housing features a beveled frame to shed material buildup during operation.





MOVE FASTER. FINISH SOONER.


Faster Cycle Times

Hydraulic pumps in Bobcat loaders are matched to cylinder size and loader lift capacity to provide fast cycle times that help you get the job done faster.

2-Speed Travel

Spend less time traveling across a jobsite or between jobs. Move faster – and get the job done sooner – with 2-Speed travel for Bobcat compact track loaders. This timesaving feature boosts your top travel speed as high as 12 mph.*

*Depending on model.



Automatic Ride Control

Automatic ride control detects when you're carrying material and cushions the load to reduce spillage and increase operator comfort. The system works at any speed. Operators can flip a switch to turn it off for backdragging or other tasks.

Powerful Hydraulics

The Bobcat engine, pump, horsepower and cubic-inch displacement are configured precisely for each model's specific operating capacity. Engine horsepower and hydraulic system performance are finely tuned to run circles around other machines.

Hydraulic Bucket Positioning

Optional hydraulic bucket positioning keeps your bucket level when raising lift arms to reduce spillage and allow you to work more efficiently.

Powerful Breakout Forces

High-efficiency hydraulic pumps deliver more power matched to demand and provide better breakout forces.

More Torque

Bobcat engines have a robust combustion chamber that handles more pressure and produces more torque than ever before – especially at low rpm operation. This means better performance for pushing, digging, lifting and operating attachments with less chance of stalling.



TIER 4 SOLUTIONS

When Tier 4 emissions standards required every equipment manufacturer to make equipment

changes, Bobcat designed a non-DPF Tier 4 solution that also delivers new features and provides more performance to customers.

Simple, State of the Art and Non-DPF

The biggest advantage of our Tier 4 solution is simplicity. Bobcat engines meet Tier 4 regulations without a diesel particulate filter (DPF). This reduces downtime that occurs with DPF regeneration and long-term DPF maintenance costs. That allows operators to focus on working.

Improved Machine Shutdown Protection


Monitors coolant and oil temperatures and prevents them from reaching a critical point of shutdown.

Cold Weather Engine Protection

Protects your machine from working too hard before the engine is properly warmed up.

Lower Operating Costs and Reduced Noise

An auto-idle function on machines equipped with Selectable Joystick Controls will reduce noise levels.



POWERFUL LIFT ARMS

Our durable, patented lift-arm design meets the unique demands of the work you do most often. The vertical lift path provides high lift capacity and great reach at full lift height, keeping the load close to the machine while you raise the loader arms. Because you achieve maximum reach at full lift height, it's easy to clear high-sided truck boxes and hoppers. It's also perfect for placing heavy pallets of block or sod.

Single-Plane Design

Every pin and connecting point on Bobcat lift arms are part of a single-plane design. Side-to-side movement is minimized, resulting in less wear and longer life. It also helps prevent unwanted spillage of material.

COMFORT





Vibration-Reducing Cab Isolation

With front-mount rubber bushings that are 32% larger and rear mount bushings that are 160% larger than previous generation loaders, the operator experience is better than ever.

Pressurizing Front Door Seal

A front door seal increases cab pressurization to repel dust and keep clean heated or air-conditioned air inside.



Heated Cloth Air-Ride Seats

Upholstered in comfortable, breathable cloth and equipped with operator-controlled heat for warmth in cold weather, the optional air-ride seat provides the ultimate in comfort. The air suspension adjusts to your weight, helping smooth out the bumps on your jobsite and increasing your comfort.

Seat-Mounted Joysticks

On loaders with Selectable Joystick Control (SJC), the joysticks are mounted to the seat. As your suspension seat moves up and down, the joysticks move with the seat for added comfort while operating.

Seat Adjustment

The adjustable seat features plenty of forward or aft movement to accommodate different-sized operators.

Large Entry

On machines with enclosed cabs, large swing-open doors provide ample room for exit and entry.

More Room

Our stronger, narrower loader arms make a wider cab possible, with up to 20% more interior space than competitors.

Heat and Air Conditioning

Because our AC units are integrated into the machine, there is no bulky add-on unit to obstruct your visibility. Automotive-style vents allow you to point your air where you need it for greater comfort in all weather conditions.

Ample Storage

Storage bins are located throughout the interior. You can store items wherever it's convenient – on your right or on your left.

Convenient Engine Speed Control

The engine speed control is within easy reach on the right-hand corner post of the cab so operators can adjust engine speed quickly and easily.

Fingertip Controls

Fingertip controls make your attachment comfortable to operate, easy to control and simple to adjust.

12-Volt Power Accessory

Your cab is your office. That's why Bobcat installed a 12-volt power accessory for charging your mobile phone and other devices.

Easy-Pull, Easy-Secure Side Window

Simply pull the window knob to slide the side window to five lockable positions. The window stays exactly where you want it to get consistent air flow.

Side Lighting Kit

Mounted above the right and left side windows, these optional low-profile, 800-lumen-rated LED lights make operation more productive at all hours.

Radio-Capable

Order your loader with a stereo to enhance your operation experience. The radio features an auxiliary audio input jack that is ready for a mobile phone or other device.

Other Comfort Cab Features

- High-output halogen lights for low-light operation
- Adjustable foot pedals

Leading Visibility

Leading all-around visibility is central to the design of the cab on Bobcat loaders. This provides a big advantage when loading a truck or using attachments.



CAB-FORWARD DESIGN

The cab-forward design moves the operating area closer to the attachment, giving you a better vantage point to see your work.



Top Visibility

A top window gives operators an unbeatable view when raising a load above the cab, such as loading trucks or stacking materials.

Side Visibility

In the Bobcat cab, you can see the tracks without having to lift your loader arms, increasing your performance in tight areas, such as grading next to a building or backing onto a trailer.



Rear Visibility

The cab-forward design doesn't affect rear visibility. The large rear window and angle of the back of the loader provide a great view behind the tailgate.

Front Lighting

Powerful lighting gives you a great view for night operation.



THE BOBCAT M2-SERIES LOADERS MAKE USE OF DUAL-PATH COOLING.



Protected Cooling Location

The Bobcat radiator and hydraulic oil cooler are well protected between the frame uprights, above the engine. This also leaves the rear of the engine freely accessible for maintenance checks.

More Efficient Cooling

Designed to provide excellent cooling for M2-Series loaders, the patented dual-path cooling system draws cool, clean air from above, pulls warm air out of the engine compartment and forces it out two side vents, directing hot air away from the operator.


Optional Reversible Fan

Reduce maintenance and downtime while increasing productivity in dirty, dusty conditions. The reversible fan increases uptime by purging debris from the rear screen. Auto mode reverses airflow automatically, and operator-controlled purge mode gives you the ability to reverse the fan at any time.

CONTROL OPTIONS

CONTROL THE JOB.

Bobcat provides intuitive, precise and adaptable control options to make every operator as productive as possible. Whether your job requires a fine, precise touch when working close to walls and obstacles or quick, responsive work group action and maneuverability, Bobcat puts you in total control of the task.



Standard Controls

This tried-and-true system is still a popular style of control today. A lever controls the drive on each side independently, while your feet control the lift arms and bucket.



HANDS ONLY ha grepa by ins

Selectable Joystick Control (SJC)

Selectable Joystick
Control offers low-effort
hand control of all machine work
group functions. "ISO" or "H"
patterns can be easily activated
by a dash-mounted rocker switch
inside the cab.

SJC adapts performance to the job.

Drive Response Mode

Drive response mode allows you to choose how the drive responds to joystick movement. Three different settings put you in control.



These low-effort joysticks allow the operator to control all machine functions with their hands. This state-of-the-art system is also loaded with several exclusive features that adapt the loader's performance to specific job requirements:

Speed Management

"Dial in" your required travel speed in small increments, and match speed to your operation requirements. Get full range of joystick motion at a slower speed for precise control of machine movements while maintaining maximum driveline torque and full hydraulic power.

Steering Drift Compensation

Steering drift compensation keeps you on a straight path by helping you make minor adjustments to the steering.

Horsepower Management

Bobcat horsepower management automatically adjusts the loader drive system to maximize pushing and digging power while minimizing your chance of stalling.

MAINTENANCE

PANORAMIC SERVICEABI

Bobcat loaders are designed to provide the fastest, easiest maintenance in the industry. Engine checkpoints are within easy reach – so daily maintenance actually gets done. Unparalleled access to routine and long-term maintenance points makes preventative maintenance simple, reducing your operating costs and adding to your bottom line.

Our large, swing-open tailgate provides convenient access to routine maintenance points. There are no radiators to move, lift arms to raise or lift-arm support devices to install.

TIP-UP CAB

For non-routine service, simply remove two nuts and tip back the cab to access hydraulic and hydrostatic components in minutes.

HYDRAULIC OIL

Check your hydraulic oil level quickly and easily as you walk by your machine. Keep an eye on hydraulic oil levels and simplify your daily checks.



Uptime Protection

MACHINE SHUTDOWN PROTECTION

Bobcat loaders come standard with automatic shutdown that monitors engine and hydraulic functions. The system alerts the operator and actually shuts the machine down – lessening the chance of damage to the engine or hydraulic components.



Self-Diagnostics

On-board diagnostics efficiently troubleshoot problems in the field and, in many cases, prevent them from occurring in the first place. Downloadable machine performance history cuts a huge chunk out of the time needed to identify problems and correct them.

Battery Run-Down Protection

The lighting circuit automatically shuts down to prevent accidental battery discharge.

Electronic Protection

Bobcat electronics meet or exceed military IP67 requirements for sealing, moisture, shock and vibration. You can work in harsh conditions, or power wash your loader without having to worry if it will start when you are finished. Bobcat electronics feature more watertight, corrosion-resistant connectors than other manufacturers – so you don't slow down from faulty connections.

Protected Hoses and Quick Couplers

The integrated, pressure-release quick couplers are mounted directly into the front plate of the lift arm — with no exposed hoses to damage. A steel guard extends beyond the coupler, protecting it even further.







LEGENDARY VERSATILITY

Bobcat loaders have your business expansion built right in. An auger, breaker or one of more than 70 attachments will go a long way to save you time and labor.

Whether it's breaking concrete, taking down buildings or drilling tree holes, Bobcat attachments help you take on new jobs and get more use from your machine. No other manufacturer builds more of its own attachments than Bobcat, so they're vertically integrated with your Bobcat loader's electronics, hydraulics and geometry— with optimal

visibility and ease of entry and exit in mind.

Bob-Dock System

The Bob-Dock attachment mounting system

brings hands-free hydraulic connections to

your Power Bob-Tach® attachment mounting

system. Simply line up with the attachment's

Bob-Dock adapter plate, then press the Power

Bob-Tach switch. Available on select models.



Quick Couplers

Trapped line pressure can make attachment changes anything but quick. So Bobcat loaders come with quick couplers to release trapped pressure. By pushing the coupler inward, hydraulic oil is released through a return line back into the machine. The result is a clean. quick attachment change every time.

Superior Attachment Availability

Bobcat dealers specialize in compact equipment – so they are much more likely to stock or rent attachments that other equipment retailers don't even have. You'll be able to buy or rent the attachments you need



Bob-Tach System

Change attachments in less than a minute with the Bob-Tach mounting system. Replace a bucket with a pallet fork, landscape rake, auger, grapple and more, while keeping a tight attachment fit every time.



Power Bob-Tach System

With the Power Bob-Tach system, you can change non-hydraulic attachments without leaving the comfort of your cab. Just line up the attachment and press the switch.



High-Flow Hydraulics

Optional high-flow hydraulics provide a big power boost for better production with attachments. Certain attachments, such as the flail cutter, trencher, planer and stump grinder, get maximum performance from high-flow hydraulics.



Attachment Control Kit

Several attachments require control of more than one function. Our small, seven-pin attachment harness activates power and fingertip control functions while eliminating the need for mechanical relays used on other loaders. It's fully integrated with your Bobcat loader for a clean look and protected routing.



The deluxe instrument panel offers you even more functionality. The 5-inch, full-color LCD screen enables monitoring of and interaction with your machine. The system can even provide information about machine performance in English, Spanish and five other languages.



Activity Monitor Check machine usage by operator with the job clock feature.



Functional Lockouts Protect your investment from misuse or accidental use by locking out certain functions such as high-flow hydraulics and 2-Speed travel.

Password-Protected Keyless Start

Eliminate downtime due to lost keys. Remove the risk of spare keys in the pockets of current or former employees. Reduce the chance of theft or unauthorized use. You might even reduce your insurance premiums.

Attachment Operation

Deluxe instrumentation features a viewable job clock for certain attachments and the ability to make adjustments to laser-guided attachments without stepping out of the cab. You can even monitor certain attachment functions on-screen.

Diagnostics

The easy-to-read, backlit display panel monitors 14 major loader functions and provides troubleshooting suggestions to help solve a potential problem, which helps maximize your uptime.

Other Deluxe Instrumentation Features

Digital time clock, user job clock, statistics for overall job and individual operators, resettable hour meter, attachment controls, help menu, and multiple password settings give you added convenience and more control over your machine.

M2-Series deluxe instrument panel is pictured here. See your dealer for details.





Theft Protection

Compact loaders are one of the most stolen pieces of compact equipment in the world. Reduce the risk of loss due to theft or unauthorized use with the optional password-protected Bobcat deluxe instrument panel and up to eight custom keyless start codes. It may even qualify your business for reduced insurance premiums.

Optional Keyless Panel

If you're not ready for the robust functionality of deluxe instrumentation, but you'd like the convenience of keyless start with the added security of an owner-defined numeric code, choose the optional security panel upgrade.





Deluxe Instrumentation Hour Clock

With the deluxe instrument panel, you can monitor the number of hours on each attachment.



Sonic Tracer/Slope Sensor

Use the deluxe instrument panel to set, adjust and monitor cross-slope grading progress.



Laser Positioning

For laser-controlled attachments, deluxe instrumentation provides real-time, in-cab attachment position monitoring and adjustment.



Tree Spade Control

With deluxe instrumentation, you can monitor active blades and gates, change auto-dig and easy-dig settings, and monitor the number of trees dug in a day.

PRECISION GRADING

Compact loaders are commonly used for grading, and Bobcat does grading better than any other brand. Bobcat manufactures the most productive box blade and grader attachments in the industry, but we don't stop there. Bobcat loaders give you access to exclusive technology that increases your grading efficiency while saving material and labor.



Accuracy Within 1/4-Inch

Sonic and laser-guided grading systems offer you unbeatable precision that amplifies your profit potential by cutting thousands in material and labor from the job. Bobcat precision grading equipment often pays for itself with just one or two big jobs.

3D Grading System

Expand your capabilities and increase your efficiency with the industry's first 3D-ready system for compact equipment. Using the plug-and-play system, you'll save time, fuel and money with millimeter accuracy. Using GPS or UTS, the system has the ability to complete complex design projects including parking lots, sports fields and road work.

Laser-Guided Grading

Your Bobcat loader and the attachment make adjustments automatically, saving you hours of time and thousands in labor and material. Depending on the attachment and transmitter, the laser-guided grading system can grade a flat-plane, single-slope or dual-slope surface.

Sonic Tracer/Slope Sensor Control

The sonic tracer/slope sensor kit enables operators to create an accurate cross-slope or precisely grade when laser receivers and transmitters are limited by jobsite obstacles or the grade needed does not follow a plane.

Enhanced Grading With the Deluxe Instrument Panel

Deluxe instrumentation enables operators to set the parameters of the grading system and get real-time information during operation – such as distance to target for both elevation and slope – without the need for a separate control box inside the cab.

SPECIFICATIONS







Model	S740	\$770	\$850
Loader Series	M2-Series	M2-Series	M2-Series
Rated Operating Capacity (ROC) (35% tipping load)	-	_	-
ROC (50% of tipping load)	3100 lb. (1406 kg)	3350 lb. (1520 kg)	3950 lb. (1792 kg)
ROC With (optional 200 lb./90 kg) Counterweight	3250 lb. (1474 kg)	3500 lb. (1588 kg)	4100 lb. (1860 kg)
(4)		3,	——— Counterweight kits are available to
Tipping Load	6200 lb. (2812 kg)	6700 lb. (3039 kg)	7900 lb. (3583 kg)
Height to Bucket Hinge Pin	131.4 in. (3338 mm)	131.4 in. (3338 mm)	144.0 in. (3658 mm)
Lift Arm Path	Vertical	Vertical	Vertical
Size and Speed			
Operating Weight	8794 lb. (3989 kg)	9314 lb. (4225 kg)	10,237 lb. (4643 kg)
Width With Bucket	74.0 in. (1880 mm)	74.0 in. (1880 mm)	80.0 in. (2032 mm)
Height With Cab	81.3 in. (2065 mm)	81.3 in. (2065 mm)	83.4 in. (2118 mm)
Travel Speed – Low Range	7.1 mph (11.4 km/hr.)	7.1 mph (11.4 km/hr.)	7.1 mph (11.4 km/hr.)
Travel Speed – High Range (optional 2-Speed travel)	12.3 mph (19.8 km/hr.)	12.3 mph (19.8 km/hr.)	12.3 mph (19.8 km/hr.)
Engine	Tier 4	Tier 4	Tier 4
Horsepower	74.0 hp (55.2 kW)	92.0 hp (68.6 kW)	100.0 hp (74.6 kW)
Туре	Turbo Diesel	Turbo Diesel	Turbo Diesel
Fuel Tank Capacity	23.9 gal. (90.5 L)	23.9 gal. (90.5 L)	29.5 gal. (111.6 L)
Horsepower Management	Included with SJC Option	Included with SJC Option	Std
Tires			
Bobcat Heavy Duty	Std	Std	Std
Tracks/Undercarriage			
Track Width - Standard	_	_	_
Ground Pressure (with standard tracks)	-	-	-
Ground Pressure (with optional tracks)	_	-	_
Length of Track on Ground	-	-	-
Undercarriage	_	_	_
Grease Cylinder Track Tensioning	-	-	_
Control Options			
Bobcat Standard (foot pedals/steering levers)	Std	Std	-
Standard Controls With Power Assist (SCPA)	_	_	Std
Selectable Joystick Control (SJC)	Opt	Opt	Std
Radio Remote Control (SJC required)	Opt	Opt	Opt
Machine Features			
2-Speed Travel	Opt	Opt	Std
Automatic Ride Control	Opt	Opt	Opt
Back-Up Alarm and Horn	Std	Std	Std
Bobcat Interlock Control System (BICS)	Std	Std	Std
Cab With Heat	Opt	Opt	-
Cab With Heat and Air Conditioning	Opt	Opt	Opt
Front and Rear Work Lights	Std	Std	Std
Heated Cloth Air-Ride Seat	Opt	Opt	Opt
Hydraulic Bucket Positioning	Opt	Opt	Opt
Mechanical Suspension Seat	Std	Std	Std
Radio	Opt	Opt	Opt
Reversing Fan	Opt	Opt	Opt
ROPS/FOPS Approved Cab Structure	Std	Std	Std
Side Lighting Kit	Opt	Opt	Opt
Standard Display (includes keyless start)	Opt	Opt	Opt
Sound Reduction Package	Opt	Opt	Opt
Features for Attachments			
Attachment Control Kit	Opt	Opt	Opt
Bob-Dock System	Opt	Opt	-
Bob-Tach Mounting System	Std	Std	Std
Power Bob-Tach System	Opt	Opt	Opt
Fingertip Auxiliary Hydraulics Control	Std	Std	Std
Hydraulic System Pressure	3500 psi (24.1 MPa)	3500 psi (24.1 MPa)	3500 psi (24.1 MPa)
Hydraulic Standard Flow	23.0 gpm (87.1 L/min.)	23.0 gpm (87.1 L/min.)	23.0 gpm (87.1 L/min.)
Hydraulic High Flow (optional)	30.5 gpm (115.5 L/min.)	36.6 gpm (138.5 L/min.)	36.6 gpm (138.5 L/min.)
Pressure Release Hydraulic Quick Couplers			
1 1033uro 11010u36 Hyuruullo Quiok Ooupiera	Std Included with SJC Option	Std Included with SJC Option	Std







T740	T770	T870
M2-Series	M2-Series	M2-Series
3200 in. (1451 mm)	3475 lb. (1576 kg)	3650 lb. (1656 kg)
4571 lb. (2073 kg)	4960 lb. (2250 kg)	5215 lb. (2365 kg)
3300 lb. (1497 kg)	3575 lb. (1622 kg)	3750 lb. (1701 kg)
increase ROC. See dealer on available kits and ROC increas	es for your loader. —————————————————————	•
9143 lb. (4147 kg)	9929 lb. (4504 kg)	10,430 lb. (4731 kg)
131.4 in. (3338 mm)	131.4 in. (3338 mm)	144.3 in. (3665 mm)
Vertical	Vertical	Vertical
10,127 lb. (4594 kg)	10,515 lb. (4770 kg)	12,925 lb. (5863 kg)
80.0 in. (2032 mm)	80.0 in. (2032 mm)	86.0 in. (2184 mm)
81.3 in. (2065 mm)	81.3 in. (2065 mm)	83.6 in. (2123 mm)
6.0 mph (9.7 km/hr.)	6.6 mph (10.6 km/hr.)	5.5 mph (8.8 km/hr.)
8.3 mph (13.4 km/hr.)	10.7 mph (17.2 km/hr.)	9.3 mph (15.0 km/hr.)
Tier 4	Tier 4	Tier 4
74.0 hp (55.2 kW)	92.0 hp (68.6 kW)	100.0 hp (74.6 kW)
Turbo Diesel	Turbo Diesel	Turbo Diesel
43.8 gal. (165.8 L)	43.8 gal. (165.8 L)	32.6 gal. (123.4 L)
Std	Included with SJC Option	Std
- Olu	moradod with odo option	0.0
-	_	_
47.7 in /450	477 in (450)	47.7 in (450)
17.7 in. (450 mm)	17.7 in. (450 mm)	17.7 in. (450 mm)
4.1 psi (0.28 bar)	4.2 psi (0.29 bar)	4.8 psi (0.33 bar)
-	_	_
00.7: (4040)	00.7:- (4040)	70.0 : (47.00)
63.7 in. (1618 mm)	63.7 in. (1618 mm)	70.2 in. (1782 mm)
Solid Mount/Roller Suspension	Solid Mount/Roller Suspension	Standard 5-Link Torsion Suspension
Std	Std	Hydraulic
0.0	0.00	Try draumo
-	Std	-
Std	_	Std
Std	Ont	Std
	Opt	
Opt	Opt	Opt
Opt	Opt	Std
·		
Opt	Opt	Opt
Std	Std	Std
Std	Std	Std
		Ota
-	-	-
Opt	Opt	Std
Std	Std	Std
Opt	Opt	Opt
Opt	Opt	Opt
Std	Std	Std
Opt	Opt	Opt
Opt	Opt	Opt
Std	Std	Std
Opt	Opt	Opt
Opt	Opt	Opt
Opt	Opt	Opt
_		
Opt	Opt	Opt
Opt	Opt	_
Std	Std	Std
Opt	Opt	Std
Std	Std	Std
3500 psi (24.1 MPa)	3500 psi (24.1 MPa)	3500 psi (24.1 MPa)
23.0 gpm (87.1 L/min.)	23.0 gpm (87.1 L/min.)	23.0 gpm (87.1 L/min.)
30.5 gpm (115.5 L/min.)	36.6 gpm (138.5 L/min.)	36.6 gpm (138.5 L/min.)
Std	Std	Std
Std	Included with SJC Option	Std



B O B C A T T I M E L I N E











ries R-Series ers Excavators















Compact Wheel Loaders

2014 2016



YOU ARE ANIMAL®

Everything we put into Bobcat equipment is designed to make more of whatever you bring to the job. Whether it's strength, versatility, speed or agility, it's built around you.

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.



Bobcat is a Doosan company. Doosan is a global leader in construction equipment, power and water solutions, engines, and engineering, proudly serving customers and communities for more than a century.

Bobcat®, the Bobcat logo and the colors of the Bobcat machine are registered trademarks of Bobcat Company in the United States and various other countries.

©2022 Bobcat Company, All rights reserved.



